

ng Frost esied For and May

redict Serious e to Jersey it Crops

velopment of Birds Due to Warm Weather.

Freezing damage to
strawberries
the middle
Prof. M. A.
the State
Station at
the remainder
"unusually cool" or
"an extended period
weather when these
dom."

development of fruit
unseasonable warm
be certainty of ex-
the next few weeks.
the horticulturist's
statement closely
reports of earlier
at damage which la
New Jersey's
at least 50 per cent.
expressed by Prof.
1934 season will be
to those of 1913
fruit buds, forced by
thaw, were killed by
crop materially re-
he explains, the sea-
quite unusual. The
described as being
ays ahead of normal
ment.

pear and plum
s easily stimulated
warm periods in win-
and cherry trees.
s says, "their buds
depressed resist-
The buds have al-
far beyond normal
year, and more warm
in early blooming,
April 1 to 10 in South
April 15 to 20 in cent-

weeks in April are
danger periods be-
weather during that
ays when the temp-
to fall at least a
freezing. The only
to prevent frost and
to fruit trees in
dully cool March, or
days of cool, cloudy
ne tree fruits are in
erature of from 40
uring blooming time
to prevent any dam-
and low enough to
d a development of
possibility of frost
as a threat to fruit
e middle of May in

European Red Mite and aphid
eggs are present.
The European Red Mite eggs are
round, rusty red, and so small that
the individual egg cannot be seen
without a magnifying glass. They
usually occur in masses resembling
blotches of red pepper on the under
side of the twigs and branches, usu-
ally where the bark is slightly rough
or uneven. The clusters of eggs can
be rather easily detected with the
naked eye, although a low powered
magnifying glass helps materially.
If European Red Mite eggs are identi-
fied, one of the six sprays should be
used during the delayed dormant
period or before the fruit buds show
very much green color.

Aphid eggs are quite different from
European Red Mite eggs in color,
size and shape. They are shiny
black, oval and single eggs are large
enough to be seen without the aid of
a glass. Aphid eggs are most easily
found on the one-year wood, usually
close to the bud. If any eggs are
found it usually means that spuch
are present in the orchard to justify
the application of a spray mixture
that will prevent them from hatching.
Your county agricultural agent can
give you the New Jersey Agricultural
Experiment Station spraying recom-
mendations for the control of both
of these insect pests, as well as
others that are found in New Jersey

are not
for a war

are not
for a war

Three Allendale Stores Robbed

Foodstuffs and Small Amount of Money Taken by Busy Burglar

A burglar who was evidently the
possessor of a family with a healthy
appetite visited three stores in Al-
lendale some time during the wee small
hours of yesterday morning and re-
moved a quantity of provisions and
what money he was able to find in
the cash registers.

Winter's Grocery Store was en-
tered by jimmying a window at the
side of the building. About \$5.00
which had been left in the cash
drawer and some merchandise such
as sweet pickles and jams were stolen.
The burglar entered the A. & P.
store by cutting a panel out of the
door. Here he made his best haul,
snatching \$30 in the cash register. He
also managed to corral a few meals
for his family by the theft of a ham
and some canned goods.

Hendon's butcher shop did not yield
more than two or three dollars in
cash but the thief helped himself to
a leg of lamb and some canned goods
and butter.

The Allendale police and state
troopers made an investigation. They
decided that the three jobs were the
work of the same man.

Fruit Growers Must Spray Trees Soon

Warned to Examine Orchards for Evi- dences of Infestations by Para- sites—Red Mite Dangerous

Fruit growers should make a care-
ful examination of their trees pro-
ceeding to the spraying season, says
Prof. A. J. Farley, Extension Pomolo-
gist, in order to find out to what
extent European Red Mite and aphid
eggs are present.

The European Red Mite eggs are
round, rusty red, and so small that
the individual egg cannot be seen
without a magnifying glass. They
usually occur in masses resembling
blotches of red pepper on the under
side of the twigs and branches, usu-
ally where the bark is slightly rough
or uneven. The clusters of eggs can
be rather easily detected with the
naked eye, although a low powered
magnifying glass helps materially.
If European Red Mite eggs are identi-
fied, one of the six sprays should be
used during the delayed dormant
period or before the fruit buds show
very much green color.

Aphid eggs are quite different from
European Red Mite eggs in color,
size and shape. They are shiny
black, oval and single eggs are large
enough to be seen without the aid of
a glass. Aphid eggs are most easily
found on the one-year wood, usually
close to the bud. If any eggs are
found it usually means that spuch
are present in the orchard to justify
the application of a spray mixture
that will prevent them from hatching.
Your county agricultural agent can
give you the New Jersey Agricultural
Experiment Station spraying recom-
mendations for the control of both
of these insect pests, as well as
others that are found in New Jersey

are not
for a war

T. B. Association Warns of Child Gland Troubles

May Presage Tubercu- losis Says Co. Health Association

Swollen Glands Should Be Brought to the Attention of a Physician Without Loss of Time

We have said elsewhere that one
of the earliest symptoms of tubercu-
losis infection in children is man-
ifested in the glands, lymph nodes.
They become enlarged and those near
the surface of the skin, neck, armpit
and groin, can be felt and sometimes
seen. A common name that one often
hears these swollen glands called is
kernels.

Infection in the deeper seated
glands, such as those of the lung
cannot be discovered except through
X-Ray examination. Whenever there
is trouble in the glands near the sur-
face, it is a safe guard to have a
chest X-Ray examination. Upon the
first appearance of any trouble in
the glands, take your child to your
doctor at once.

Watch for gland symptoms during
and after measles, whooping cough,
scarlet fever, diphtheria, pneumonia,
influenza, or any other serious ill-
ness. When the vitality is lowered
by any of the above diseases or the
child is undernourished from lack
of proper food or rest, then is the
body susceptible to infection. Dis-
eased tonsils and teeth are other
sources of infection. The greatest
prevention against tuberculosis is
good general health.

When gland infection has mani-
fested itself, everything possible must
be done to build up the general
health. Follow your doctor's orders
and there is no reason why your
child should not grow in healthy
and strong. Prompt treatment will
prevent serious illness, neglect of these
glands increases the danger of the
infection spreading into other glands
and organs.

The general treatment is rest, good
food, sun and air baths, all of which
must be done under doctor's direc-
tions. When children develop gland
tuberculosis, it is advisable for the
parents and other adults in the home
to have X-Ray chest examinations.

Information or leaflets can be se-
cured from The Bergen County Tubercu-
losis and Health Association,
1700 2nd Main Street, Hackensack,
N. J., without charge. Christmas
seals have paid for this service.

May 1st Will Be "Vaccination Day"

May Day is going to be vaccination
day in Bergen County.

The Bergen County Public Health
and Sanitary Association has decided
that the most important single pub-
lic health need in Bergen County at
the moment is to have as near 100
per cent of our children vaccinated
as is possible and the various boards
of health of Bergen County have se-
lected May 1 as the day on which
they will attempt to get all children
of the county vaccinated.
The Bergen County Medical So-



BUILDING MATERIALS

When permanence and economy are first considerations, it is safest for you to specify standard building materials. Leading architects and contractors have long followed a preference for our dependability and service.

Ramsey Lumber Co.

(Incorporated)

Lumber -- Masons' Materials

Office and Yards:
Island Avenue at R. R. Crossing, Ramsey, New Jersey
PHONE RAMSEY 404



John H. Ackerman & Son

ALLENDALE, N. J.
PHONE 3080


RAMSEY, N. J.
PHONE 400

BEST GRADE OF WELL SCREENED
PITTSBURGH & LEHIGH COAL

NOTICE
Creditors of John Frank Helton, dec'd, deceased, are by order of J. Maxwell Hupper, Surrogate of Bergen County, dated March 2d, 1930, upon application of the subscriber notified to bring in their claims, demands and claims against the estate, under oath, within six months from above date.

ADOLPHUS C. DE HAEN,
JOHN FRANK DE HAEN, JR.
Executors

Ramsey Journal, 7, 23, 25, 43-4



Printing:

Some fuels suit - and others soot. Our smokeless anthracite plants no smudges on your curtains...

Ask the Journal to quote prices. Telephone Ramsey 20

**Bird House Contest
Decided April 5th**

The New Jersey Audubon Society's Bird House contest, which will be decided April 5, has received further stimulus through the donating by the University Society, Inc. of a set of "Birds of America," as a grand prize.